

## CLAIMS

### WHAT IS CLAIMED IS:

- 1           1. A method of selectively compressing data packets comprising:  
2                 bypassing a compression process responsive to detecting a first marker in  
3                 the data packets; and  
4                 resuming the compression process responsive to detecting a second  
5                 marker in the data packets.
- 1           2. The method of claim 1 wherein the first marker indicates that data  
2                 subsequent to the first marker is compressed.
- 1           3. The method of claim 2 wherein the second marker indicates that data  
2                 previous to the second marker is compressed.
- 1           4. The method of claim 3 wherein the first marker is a predetermined string of  
2                 data.
- 1           5. The method of claim 4 wherein the first marker is a predetermined text  
2                 string of data.

1           6. The method of claim 5 wherein the compression process compresses the  
2 data packets prior to sending the data packets over a network.

1           7. The method of claim 6 further comprising:  
2           encrypting the data packets prior to sending the data packets over the  
3           network.

1           8. The method of claim 6 further comprising:  
2           resuming the compression process after a timeout occurs.

1           9. A method of processing data packets comprising:  
2           searching a first data packet for a first marker that indicates that subsequent  
3           data is already compressed;  
4           forwarding the first data packet without trying to re-compress it, if the first  
5           marker was found; and  
6           compressing and forwarding the first data packet, if the first marker was not  
7           found.

1           10. The method of claim 9, wherein searching the first data packet for the first  
2           marker is performed by looking for a predetermined text string in the first data  
3           packet.

1 11. The method of claim 9 further comprising:  
2 forwarding one or more subsequent data packets without trying to re-  
3 compress them, if the first marker was found; and  
4 compressing and forwarding the one or more subsequent data packets, if the  
5 first marker was not found.

1 12. The method of claim 11, further comprising:  
2 searching for a second marker that indicates that data following the  
3 second marker is not compressed; and  
4 compressing and forwarding a second set of one or more subsequent data  
5 packets after finding the second marker, wherein each of the second  
6 set of one or more subsequent data packets are searched for the first  
7 marker.

1 13. The method of claim 12, wherein searching for the second marker is  
2 performed by looking for a second predetermined text string.

1 14. A method of selectively compressing data packets comprising:  
2 searching a data packet for a first string of data;  
3 bypassing a compression process responsive to detecting the first string  
4 of data;  
5 searching for a second string of data; and  
6 resuming the compression process responsive to detecting the second  
7 string of data.

1           15. The method of claim 14, wherein a string search engine is used to search  
2 the data packet for the first string of data.

1           16. The method of claim 14, wherein a string search engine of a network  
2 processor is used to search the data packet for the first string of data.

1           17. The method of claim 14 further comprising:  
2           searching a subsequent data packet for a third string of data;  
3           bypassing the compression process responsive to detecting the third  
4           string of data;  
5           searching for a fourth string of data; and  
6           resuming the compression process responsive to detecting the fourth  
7           string of data.

1           18. The method of claim 14 further comprising:  
2           resuming the compression process responsive to a timeout event.

1           19. The method of claim 14 further comprising:  
2           testing whether a current data packet is compressed responsive to a  
3           timeout event.

1           20. An article comprising a computer-accessible medium which stores computer-  
2 executable instructions, the instructions causing a computer to:  
3           search a data packet for a first string of data;  
4           bypass a compression process responsive to detecting the first string of data;  
5           search for a second string of data; and  
6           resume the compression process responsive to detecting the second string of  
7           data.

1           21. The article of claim 20, the article further comprises instructions to:  
2           search a subsequent data packet for a third string of data;  
3           bypass the compression process responsive to detecting the third string of  
4           data;  
5           search for a fourth string of data; and  
6           resume the compression process responsive to detecting the fourth string of  
7           data.

1           22. The article of claim 20, wherein the compression process compresses data  
2 packets prior to the data packets being forwarded across a network.

1           23. The article of claim 22, wherein the data packets are encrypted before being  
2 forwarded across the network.

1